



TOWNSEND CHEMICALS PTY LTD

ABN 26 005 074 073

TEL: (61 3) 9793 6000

FAX: (61 3) 9794 0723

Email: customerservice@townsendchem.com.au

Web: www.townsendchem.com.au

RE-POL®

POLYESTER POLYOLS - Coatings

Coatings based on RE-POL polyester polyols are tough, flexible and chemically resistant.

Grade	Viscosity	Acid Value (mg KOH/g)	Hydroxyl Value (mg KOH/g)	Equivalent Weight	Application
RE-POL 316/65	11,000cP @ 25°C	0.7	168	330	Chemically resistant coatings
Solvent cut, branched polyester that produces coatings with excellent weathering capabilities					
RE-POL 560	12,400cSt @ 25°C	0.7	43	1300	Flexible coatings
Linear polyester polyol used to produce flexible coatings on its own or in combination with other RE-POL polyester polyols					
RE-POL 640	750cSt @ 60°C	0.6	186	300	Tough PU coatings
Slightly branched liquid polyester polyol for use in 2 pack PU coatings					
RE-POL 650	1150cSt @ 60°C	0.8	232	250	Primers and top coats
Branched polyester polyol, that is 100% solids and produces tough, chemically resistant coatings					

❖ These are typical properties and should not be used for establishing specifications

- For individual data sheets or information on other available grades, please contact our Customer Service customerservice@townsendchem.com.au

Except as provided above, all expressed and applied warranties, guarantees and conditions said to arise in respect of information supplied by Townsend Chemicals Pty.Ltd. or otherwise under statute or general law as to merchantability, description, quality, suitability or fitness of the goods for any purpose or as to design, assembly, installation, materials or workmanship or otherwise are hereby expressly excluded and Townsend Chemicals Pty.Ltd shall not be liable for physical or financial injury, loss or damage or for consequential loss or damage of any kind arising out of the supply, preparation, production, installation, performance or operation of the goods or arising out of Townsend Chemicals Pty.Ltd.'s negligence or in any way whatsoever. The liability of Townsend Chemicals Pty.Ltd. for a breach of a condition or warranty implied by Div.2 of Pt. V of the trade practices Act 1974 is not excluded or restricted but is (other than S 69) hereby limited to: (a) the replacement of the goods or the supply of equivalent goods.(b) the repair of goods. (c) the payment of the cost of replacing the goods or of acquiring equivalent goods. (d) the payment of the cost of having the goods repaired. Freedom from patent rights must not be assumed.